

Exhibit A to
Purchase Agreement No. 3157
Page 1

AIRCRAFT CONFIGURATION

Dated January 9, 2009

relating to

BOEING MODEL 777-FREIGHTER AIRCRAFT

Customer Detail Specification is D019W007FED7F-1, Rev NEW. Such Detail Specification will be comprised of Boeing Configuration Specification D019W007-Rev B dated as of May 30, 2008, and as amended to incorporate the Options attached hereto. As soon as practicable, Boeing will furnish to Customer copies of the Detail Specification.

Basic Price does not include the price effects of any Buyer Furnished Equipment or Seller Purchased Equipment.

Supplemental Agreement No. 4

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
0110-000039	MAJOR MODEL 777 AIRPLANE	[*]	[*]
0110B750A90	MINOR MODEL 777 FREIGHTER AIRPLANE	[*]	[*]
0220-000040	FAA TYPE CERTIFICATION	[*]	[*]
0221-000002	DISPATCH WITH GEAR EXTENDED FOR REVENUE FLIGHT	[*]	[*]
0221B401A44	ENGINE INOPERATIVE TEN MINUTE TAKEOFF THRUST OPERATION	[*]	[*]
0228-000032	OPERATIONS MANUAL IN FAA FORMAT	[*]	[*]
0228C417D40	AIRPLANE FLIGHT MANUAL	[*]	[*]
0229C608D26	PERFORMANCE - CERTIFICATION FOR OPERATION AT AIRPORTS WITH PRESSURE ALTITUDES UP TO 9800 FEET AND AUTOPILOT CAPABILITY AT AIRPORTS WITH A MAXIMUM FIELD ELEVATION OF 8,500 FEET	[*]	[*]
0252B299A35	INSTRUMENTATION, AIRPLANE AND FUEL MEASURING STICK MANUALS IN ENGLISH UNITS - TEMPERATURE IN DEGREES CELSIUS	[*]	[*]
0315C417D42	CERTIFIED OPERATIONAL WEIGHTS AND STRUCTURAL DESIGN WEIGHT- 777-FREIGHTER	[*]	[*]
1110C874H30	EXTERIOR COLOR SCHEME AND MARKINGS - ENGINE NACELLES COLOR	[*]	[*]
1110C874H32	EXTERIOR COLOR SCHEME AND MARKINGS	[*]	[*]
1137C703A41	CARGO MARKINGS - FORWARD CARGO COMPARTMENT	[*]	[*]
1138C703A42	CARGO MARKINGS - AFT CARGO COMPARTMENT	[*]	[*]
1139C703A40	CARGO MARKINGS - MAIN DECK CARGO COMPARTMENT	[*]	[*]
2210-000003	AUTOFLIGHT - INHIBIT GLIDE SLOPE CAPTURE PRIOR TO LOCALIZER CAPTURE	[*]	[*]
2210-000030	AUTOFLIGHT - THREE DIGIT MACH NUMBER ON MODE CONTROL PANEL	[*]	[*]
2210-000036	AUTOFLIGHT - HEADING HOLD AT AUTOPILOT COMMAND ENGAGE	[*]	[*]
2210C594A11	AUTOFLIGHT - ENABLE LNAV ENGAGEMENT ON TAKEOFF GO-AROUND	[*]	[*]
2311-000137	HF COMMUNICATIONS - PARTIAL PROVISIONS FOR DUAL ARINC 753 HF DATALINK	[*]	[*]
2311B401A30	HF COMMUNICATIONS- ARINC 753 DUAL HF TRANSCEIVERS - AIRPLANE INFORMATION MANAGEMENT SYSTEM (AIMS) - HF DATALINK ACTIVATION - AIRLINE OPERATIONAL COMMUNICATIONS ONLY	[*]	[*]
2311B401A39	HF COMMUNICATIONS - EQUIPMENT INSTALLATION OF DUAL ROCKWELL HF VOICE/DATA TRANSCEIVERS - P/N 822-0990-004 AND DIGITAL HF COUPLERS - P/N 822-0987-004 BFE/SPE	[*]	[*]
2312-000703	VHF COMMUNICATIONS - ACTIVATION OF 8.33 KHZ CHANNEL SPACING	[*]	[*]

Supplemental Agreement No. 4

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
2312B401A87	VHF COMMUNICATIONS - EQUIPMENT INSTALLATION OF TRIPLE ROCKWELL ARINC 750 VHF-2100 TRANSCEIVERS WITH 8.33 KHZ CHANNEL SPACING, VDL MODE 2, AND CMC INTERFACE CAPABILITY - P/N 822-1287-101 - BFE/SPE	[*]	[*]
2315C581A25	SATCOM - AVIONICS EQUIPMENT INSTALLATION - ARINC 781 AERO-H+ AND SWIFTBROADBAND - THALES TOPFLIGHT SERIES - BFE/SPE	[*]	[*]
2315C988A06	SATCOM - ANTENNA EQUIPMENT INSTALLATION - ARINC 781 COMPACT HIGH GAIN ANTENNA - CHELTON HGA-7001 ANTENNA SYSTEM WITH TYPE F DIPLEXER - FREIGHTER - BFE/SPE	[*]	[*]
2321-000050	SELCAL - AVTECH FIVE CHANNEL DECODER - P/N 1200008-000 - BFE/SPE	[*]	[*]
2322C926A04	AIRCRAFT COMMUNICATIONS ADDRESSING AND REPORTING SYSTEM (ACARS) - AIRPLANE INFORMATION MANAGEMENT SYSTEM (AIMS) ACTIVATION - VHF DATALINK MODE 2	[*]	[*]
2324C164C74	EMERGENCY LOCATOR TRANSMITTER - FIXED/AUTOMATIC INSTALLATION - ELTA P/N 01N65900 - BFE	[*]	[*]
2351-000033	HAND HELD MICROPHONE - CAPTAIN AND FIRST OFFICER - ELECTROVOICE - P/N 903-1342 - BFE/SPE	[*]	[*]
2351-000035	HAND HELD MICROPHONE - FIRST OBSERVER - ELECTROVOICE - P/N 903-1342 - BFE/SPE	[*]	[*]
2351-000042	CONTROL WHEEL PUSH TO TALK (PTT) SWITCH - STANDARD THREE POSITION	[*]	[*]
2351-000044	AUDIO CONTROL PANEL - SECOND OBSERVER	[*]	[*]
2351A213B78	BOOM MICROPHONE HEADSETS - CAPTAIN, FIRST OFFICER AND FIRST OBSERVER - TELEX AIRMAN 750 - P/N 64300-200 - BFE/SPE	[*]	[*]
2351A213B79	BOOM MICROPHONE HEADSET - SECOND OBSERVER - TELEX AIRMAN 750 - P/N 64300-200 - BFE/SPE	[*]	[*]
2371-000092	SOLID STATE VOICE RECORDER ED56A P/N 980-6022-001 - AND SOLID STATE REMOTE AREA MICROPHONE P/N 980-6115-001 & CONTROL PANEL ED56A P/N 980-6117-004- HONEYWELL- 2 HOUR RECORDING TIME. BFE/SPE	[*]	[*]
2431-000013	NO BATTERY POWERED POSITION LIGHTS AND DC BACKUP POWER - TOWING OPERATION	[*]	[*]
2454C608E40	AC POWER OUTLETS - INSTALLATION IN FLIGHT DECK BY THE SECOND OBSERVER'S SEAT - UK STYLE OUTLET WITH IN-SEAT POWER SUPPLY (ISPS) - ASTRONICS 110 VAC	[*]	[*]
2454C896A15	POWER OUTLETS - INSTALLATION - ADDITIONAL ELECTRICAL POWER SUPPLIES NEAR THE SUPERNUMERARY SEATS FOR THE USE OF PERSONAL COMPUTERS - ASTRONICS 110 VAC	[*]	[*]

Supplemental Agreement No. 4

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
2513A552A92	FLIGHT COMPARTMENT ASHTRAYS - DO NOT INSTALL	[*]	[*]
2513B299A22	MISCELLANEOUS STOWAGE - PILOT CONSOLES - FLIGHT DECK	[*]	[*]
2519C898D77	CURTAIN - INSTALLATION - ACOUSTIC AND LIGHT IMPROVEMENT - FLIGHT DECK	[*]	[*]
2524C204D42	FULL HEIGHT STOWAGE UNIT - FLOOR MOUNTED - AFT OF THE LAVATORY	[*]	[*]
2524C204D43	MID HEIGHT STOWAGE UNIT - FLOOR MOUNTED	[*]	[*]
2524C204D44	OVERHEAD STOWAGE UNIT - CEILING MOUNTED	[*]	[*]
2527C204G19	FLOOR COVERING - INSTALLATION - VINYL MAT THROUGHOUT THE SUPERNUMERARY AREA	[*]	[*]
2530C874E37	GALLEY INSERTS - SUPERNUMERARY COMPARTMENT	[*]	[*]
2530C896A10	GALLEY - SUPERNUMERARY COMPARTMENT	[*]	[*]
2552-000059	CARGO COMPARTMENT FULL FLOOR - AFT LOWER HOLD CARGO COMPARTMENT	[*]	[*]
2552-000083	CARGO COMPARTMENT FULL FLOOR - FORWARD CARGO COMPARTMENT	[*]	[*]
2552-000318	SLOPING SIDEWALL - FORWARD CARGO COMPARTMENT - 0.050-INCH-THICK BMS 8-223	[*]	[*]
2552-000319	SLOPING SIDEWALL - AFT CARGO COMPARTMENT - 0.050- INCH-THICK BMS 8-223	[*]	[*]
2557C703A39	MAIN DECK CARGO HANDLING - PAINTED NON-SKID WALKWAYS	[*]	[*]
2558C703A34	MAIN DECK CARGO RESTRAINTS - REMOVE CENTERLINE LOADING HARDWARE- SFE	[*]	[*]
2558C703A36	MAIN DECK CARGO RESTRAINTS - CIVIL RESERVE AIR FLEET (CRAF) CONFIGURATION - PROVISIONS	[*]	[*]
2558C703A54	MAIN DECK CARGO RESTRAINTS - ADDITIONAL CAPABILITY FOR 14 AYY CONTAINERS	[*]	[*]
2560-000207	HALON FIRE EXTINGUISHER - FLIGHT DECK - WALTER KIDDE	[*]	[*]
2560C204E95	PROTECTIVE BREATHING EQUIPMENT - FLIGHT DECK - AVOX	[*]	[*]
2560C204E99	CREW LIFE VESTS - FLIGHT DECK, WITH SECOND OBSERVER - AIR CRUISERS	[*]	[*]
2562C204F36	LIFE VESTS - SUPERNUMERARY - AIR CRUISERS	[*]	[*]
2562C874H27	EMERGENCY LOCATOR TRANSMITTER - PORTABLE	[*]	[*]
2564C204F02	PROTECTIVE BREATHING EQUIPMENT - SUPERNUMERARY - AVOX	[*]	[*]
2564C204G43	FIRST AID KIT - FAA	[*]	[*]
2564C874E39	PORTABLE OXYGEN BOTTLE W/ FULL FACE MASK - AVOX SYSTEMS INC - BFE	[*]	[*]
2564C874E40	HALON FIRE EXTINGUISHER - AMEREX - BFE	[*]	[*]
2564C874G77	FLASHLIGHT DELETION - SUPERNUMERARY	[*]	[*]
2564C874G78	PORTABLE OXYGEN W/MASK - AVOX SYSTEMS INC - BFE/SPE	[*]	[*]

Supplemental Agreement No. 4

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
2564C874H48	POLAR KIT STORAGE	[*]	[*]
2622-000017	ENGINE/APU FIRE EXTINGUISHER BOTTLES - COMMON BOTTLE	[*]	[*]
2625C896A09	FIRE EXTINGUISHING - TUBING AND DISCONNECTS FOR MAIN DECK SAX CONTAINERS	[*]	[*]
2821-000010	REFUELING ADAPTERS - RIGHT WING	[*]	[*]
2911-000003	AC MOTOR-DRIVEN HYDRAULIC PUMPS - EATON (VICKERS) S270T201-7	[*]	[*]
2911-000025	ENGINE-DRIVEN HYDRAULIC PUMPS - EATON (VICKERS) S271W110	[*]	[*]
3131-000187	DIGITAL FLIGHT DATA RECORDER - ALLIEDSIGNAL - 256 WORDS PER SECOND MAXIMUM DATA RATE - P/N 980-4700-042 BFE/SPE	[*]	[*]
3133B628B13	FLIGHT COMPARTMENT PRINTER - GRAPHICS CAPABLE (ARINC 744A) MULTIPOINT THERMAL PRINTER WITH ARINC 429 AND ETHERNET PORTS - INSTALLATION	[*]	[*]
3135C174A06	QUICK ACCESS RECORDER (QAR) - PENNY AND GILES - WITH PCMCIA CARD - P/N D52000-64000 - BFE/SPE	[*]	[*]
3143-000013	AIMS AIRPLANE MODIFIABLE (AMI) SOFTWARE - INSTALLATION AFTER DELIVERY AND BEFORE FLYAWAY	[*]	[*]
3143A068A03	DUAL ELECTRONIC CHECKLIST DATABASE	[*]	[*]
3143A207D22	AIMS - SOFTWARE ACTIVATION - DISABLE ENTRY OF GROSS WEIGHT ON ""PERF INIT"" PAGE	[*]	[*]
3143C926A05	AIRPLANE INFORMATION MANAGEMENT SYSTEM (AIMS) - OPERATIONAL PROGRAM CONFIGURATION FILE ACTIVATION - FLIGHT INFORMATION DATALINK COMMUNICATIONS MENU - ARINC 623 AIR TRAFFIC SERVICE MESSAGES	[*]	[*]
3143C926A06	AIRPLANE INFORMATION MANAGEMENT SYSTEM (AIMS) - OPERATIONAL PROGRAM CONFIGURATION FILE ACTIVATION - MAINTENANCE ENHANCEMENT PACKAGE	[*]	[*]
3150A213A18	AURAL ADVISORY OF ALTITUDE APPROACH - FLIGHT DECK	[*]	[*]
3151-000042	FIREBELL AURAL WARNING - 1 SECOND ON, 9 SECONDS OFF	[*]	[*]
3151-000046	AUTOPILOT DISCONNECT - AURAL WARNING SIREN - AURAL WARNING AND MASTER WARNING LIGHT INHIBITED WHEN AUTOPILOT DISCONNECT SWITCH IS DOUBLE PRESSED QUICKLY	[*]	[*]
3151A065A47	RESETTABLE OVERSPEED AURAL WARNING - SIREN	[*]	[*]
3151A552C02	TAKEOFF CONFIGURATION CHECK SWITCH - FORWARD AISLE STAND PANEL	[*]	[*]
3151C175A07	FLIGHT MANAGEMENT COMPUTER (FMC) - CAUTION AND WARNING SYSTEMS - ACTIVATION - TAKEOFF RUNWAY DISAGREE ALERT	[*]	[*]

Supplemental Agreement No. 4

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
3161-000002	DOOR SYNOPTIC AND EICAS MESSAGE - PASSENGER DOOR SLIDE/RAFT ARMING HANDLE POSITION INDICATION - AUTO, MANUAL AND AUTO/MANUAL MESSAGES	[*]	[*]
3161-000167	ANNUNCIATION FOR LOSS OF RIGHT OR LEFT FMCS - EICAS ADVISORY MESSAGE	[*]	[*]
3161-000168	FLIGHT DECK COMMUNICATIONS FUNCTION (FDCF) AUTOMATIC RESET - ACTIVATION	[*]	[*]
3161-000169	ANNUNCIATION FOR SATELLITE VOICE COMMUNICATION CAPABILITY - EICAS	[*]	[*]
3161-000170	ANNUNCIATION FOR DATALINK AVAILABILITY - EICAS	[*]	[*]
3161A425A45	VMO/MMO OVERSPEED EICAS STATUS MESSAGE AND VFE OVERSPEED EICAS STATUS MESSAGE WITH FLAP/SLAT POSITION SNAPSHOT - FLIGHT DECK	[*]	[*]
3162-000022	FLIGHT DIRECTOR COMMAND DISPLAY - SPLIT AXIS - ADI	[*]	[*]
3162-000030	RISING RUNWAY - DISPLAYED ON THE ADI	[*]	[*]
3162-000036	LANDING ALTITUDE REFERENCE BAR - PRIMARY FLIGHT DISPLAY	[*]	[*]
3162-000040	BARO MINIMUMS POINTER - DISPLAYED ON SELECTION OF RADIO ALTITUDE MINMUMS - PRIMARY FLIGHT DISPLAY	[*]	[*]
3162-000044	TCAS RESOLUTION ADVISORY - VSI	[*]	[*]
3162-000051	ILS LOCALIZER DEVIATION EXPANDED SCALE - AUTOPILOT OR FLIGHT DIRECTOR MODE	[*]	[*]
3162-000060	MAP MODE ORIENTATION - HEADING UP - NAVIGATION DISPLAY	[*]	[*]
3162-000062	GRID HEADING - NAVIGATION DISPLAY	[*]	[*]
3162-000064	RANGE ARCS - NAVIGATION DISPLAY	[*]	[*]
3162-000084	TCAS 3 NM RANGE RING - NAVIGATION DISPLAY	[*]	[*]
3162-000211	VREF AND SELECTED FLAP POSITION - PRIMARY FLIGHT DISPLAY	[*]	[*]
3162-000218	GROUND SPEED - DISPLAYED BELOW AIRSPEED TAPE WHEN MACH NUMBER IS NOT DISPLAYED - PRIMARY FLIGHT DISPLAY	[*]	[*]
3162C594A07	NAVIGATION PERFORMANCE SCALES (NPS) AND REQUIRED NAVIGATION PERFORMANCE (RNP) ENHANCEMENTS - AIRPLANE INFORMATION MANAGEMENT SYSTEM (AIMS) - PRIMARY FLIGHT DISPLAY AND NAVIGATION DISPLAY	[*]	[*]
3162C594A22	PRIMARY FLIGHT DISPLAY - AIMS - VNAV SPEED BAND - ENABLE	[*]	[*]
3245B047A08	BRAKES - CARBON - HIGH CAPACITY - MESSIER-BUGATTI	[*]	[*]
3245B047A09	WHEELS AND TIRES - MAIN LANDING GEAR - HIGH GROSS WEIGHT WHEELS - MESSIER - BUGATTI - INSTALLATION WITH SFE 36 PR, 235 MPH RADIAL TIRES.	[*]	[*]

Supplemental Agreement No. 4

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
3245B047A10	WHEELS AND TIRES - NOSE LANDING GEAR - WHEELS - MESSIER - BUGATTI- INSTALLATION WITH SFE 32 PR, 235 MPH RADIAL TIRES	[*]	[*]
3324C198A28	PASSENGER INFORMATION SIGNS - NO SMOKING SIGN - PERMANENT ILLUMINATION AND NO SMOKING FLIGHT DECK SELECTOR SWITCH REMOVAL	[*]	[*]
3430B721B13	ILS/GPS MULTI-MODE RECEIVER (MMR) - GNSS LANDING SYSTEM (GLS) - PARTIAL PROVISIONS FOR GLS CAT I OPERATIONS	[*]	[*]
3430B866A33	ILS/GPS MULTI-MODE RECEIVER (MMR) - ROCKWELL COLLINS - P/N 822-1821-001 - BFE/SPE	[*]	[*]
3433-000032	RADIO ALTIMETER (RA) - ROCKWELL INTERNATIONAL CORP - P/N 822-0334-002 - BFE/SPE	[*]	[*]
3436C896A17	HEAD-UP DISPLAY (HUD) - SPACE AND PARTIAL WIRING PROVISIONS FOR COMMON HUD SYSTEM INSTALLATION WITH CONTROL DISPLAY UNIT INTERFACE	[*]	[*]
3436C896A18	ENHANCED VISION SYSTEM (EVS) - SPACE AND PARTIAL WIRING PROVISIONS WITH A COMMON HUD SYSTEM PROVISIONS	[*]	[*]
3436C896A19	FEDEX - HEAD UP DISPLAY (HUD) SYSTEM - EXPANDED WIRING, MOUNTING AND COOLING PROVISIONS FOR HUD COMPUTER AND ENHANCED FLIGHT VISION SYSTEM (EFVS) COMPUTER	[*]	[*]
3443C739A02	DUAL WEATHER RADAR SYSTEM - HONEYWELL INTERNATIONAL INC. - MODEL RDR-4000 WEATHER RADAR - INSTALLATION - BFE/SPE	[*]	[*]
3443C739A03	DUAL WEATHER RADAR CONTROL PANEL - RDR-4000 RADAR SYSTEM - HONEYWELL P/N 930-6101-001 - BFE/SPE	[*]	[*]
3445C594A55	TCAS SYSTEM - ACSS TCAS COMPUTER P/N 9003500-10901 - TCAS CHANGE 7 COMPLIANT - BFE/SPE	[*]	[*]
3446-000049	500 SMART CALLOUT INHIBITED	[*]	[*]
3446C174A14	ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWS) - BANK ANGLE CALLOUT (VARIABLE CALLOUT BELOW 130 FT) - ENABLE	[*]	[*]
3446C608F25	GROUND PROXIMITY WARNING SYSTEM - MODE 6 ALTITUDE CALLOUTS - RADIO ALTIMETER AT 1000, 500, 100, 50, 40, 30, 20, 10 - ACTIVATION	[*]	[*]
3451-000022	VOR/MARKER BEACON - ROCKWELL RECEIVER P/N 822-0297-001 - BFE/SPE	[*]	[*]
3453C608E39	AUTOMATIC DEPENDENT SURVEILLANCE - BROADCAST (ADS-B) - ADS-B GUIDANCE DISPLAY - PARTIAL WIRING PROVISIONS	[*]	[*]
3453C608E55	AUTOMATIC DEPENDENT SURVEILLANCE - BROADCAST (ADS-B) - CDTI ARINC 429 BUS WIRING BETWEEN EFB AND TCAS PROCESSOR - PARTIAL WIRING PROVISIONS	[*]	[*]

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
3453C896A24	ATC SYSTEM - ACSS ATC TRANSPONDER P/N 7517800-11009 ELS/EHS/ES AND TCAS CHANGE 7 COMPLIANT - GABLES CONTROL PANEL P/N G7156-01- BFE/SPE	[*]	[*]
3453C898E41	AIR TRAFFIC CONTROL TRANSPONDER SYSTEM - TRAFFIC COLLISION AND AVOIDANCE SYSTEM (TCAS) AIRPLANE PERSONALITY MODULE WIRING PROVISIONS	[*]	[*]
3455-000019	DISTANCE MEASURING EQUIPMENT (DME) - ROCKWELL INTERROGATOR P/N 822-0329-001 - BFE/SPE	[*]	[*]
3457-000214	AUTOMATIC DIRECTION FINDER (ADF) - DUAL SYSTEM - ROCKWELL ADF-900 SERIES - ADF RECEIVER P/N 822-0299-001; ADF ANTENNA P/N 822-5404-003 - BFE/SPE	[*]	[*]
3461A031A07	TAKE OFF 1 AND 2 DERATE PROMPTS IN FMC'S THRUST LIMIT PAGE - DELETE	[*]	[*]
3461A213A09	FLIGHT MANAGEMENT COMPUTER SYSTEM (FMCS) - NON-DIRECTIONAL RADIO BEACON (ADF) APPROACHES	[*]	[*]
3461A213A10	FMCS - ENHANCED FIX PAGE CAPABILITIES	[*]	[*]
3461A213A12	FLIGHT MANAGEMENT COMPUTER SYSTEM (FMCS)- DISPLAY OF VERTICAL BEARING, FLIGHT PATH ANGLE (FPA) AND VERTICAL SPEED	[*]	[*]
3461A425A05	FLIGHT MANAGEMENT COMPUTER SYSTEM (FMCS) - RUNWAY DISTANCE AND OFFSET POSITION SHIFT IN UNITS OF FEET	[*]	[*]
3461A425A08	FLIGHT MANAGEMENT COMPUTER SYSTEM (FMCS) - FLIGHT CREW ALERTNESS MONITORING - ENABLE	[*]	[*]
3461A425A10	FLIGHT MANAGEMENT COMPUTER SYSTEM (FMCS) - NAVIGATION DATABASE - CUSTOMER SUPPLIED	[*]	[*]
3461A425A23	FLIGHT MANAGEMENT COMPUTER SYSTEM (FMCS)- QUICK REFERENCE HANDBOOK (QRH) - TAKEOFF SPEEDS- DISPLAYED	[*]	[*]
3461C739A08	FMCS - PROVIDE REQUIRED NAVIGATION PERFORMANCE (RNP) VALUES WITH 0.3 NM APPROACH	[*]	[*]
3511-000012	REMOTE CREW OXYGEN FILL STATION	[*]	[*]
3511B873B93	CREW OXYGEN MASK - FULL FACE MASK WITH BUILT-IN SMOKE GOGGLES - SECOND OBSERVER - EROS - BFE/SPE	[*]	[*]
3511B873B94	CREW OXYGEN MASK - FULL FACE MASK WITH BUILT-IN SMOKE GOGGLES - FIRST OBSERVER - EROS - BFE/SPE	[*]	[*]
3511B873B95	CREW OXYGEN MASKS - FULL FACE MASK WITH BUILT-IN SMOKE GOGGLES - CAPTAIN AND FIRST OFFICER - EROS - BFE/SPE	[*]	[*]
3511C874C91	SUPPLEMENTAL OXYGEN SYSTEM WITHIN CREW REST AND LAVATORY OF THE SUPERNUMERARY AREA	[*]	[*]
3520-000197	REMOTE PASSENGER OXYGEN FILL STATION	[*]	[*]
3520C485C02	QUICK DONNING OXYGEN MASKS - SUPERNUMERARY - BFE/SPE	[*]	[*]

Exhibit A / A1 to
Purchase Agreement No. 3157

CR	Title	2006\$ 15 A/P'S Price Per A/C	2006\$ Block B A/C Price Per A/C
3520C874H46	OXYGEN SYSTEM PROVISIONS TO SUPPORT EXTENDED OPERATIONAL CAPABILITY	[*]	[*]
4610B872A04	ELECTRONIC FLIGHT BAG (EFB) - INSTALLATION	[*]	[*]
4610C164A11	CUSTOMER UNIQUE ELECTRONIC FLIGHT BAG (EFB) SOFTWARE INSTALLATION - AFTER DELIVERY AND BEFORE FLYAWAY	[*]	[*]
4610C398C10	ELECTRONIC FLIGHT BAG (EFB) - CUSTOMER UNIQUE SOFTWARE INSTALLATION - CUSTOMER WALK AND CUSTOMER ACCEPTANCE FLIGHTS	[*]	[*]
4610C594A09	ELECTRONIC FLIGHT BAG (EFB) SYSTEM - AIRPLANE INFORMATION MANAGEMENT SYSTEM (AIMS) - ACTIVATION OF ARINC 724B ACARS INTERFACE	[*]	[*]
4610C608C41	ELECTRONIC FLIGHT BAG (EFB) INSTALLATION - E- ETHERNET INTERFACE BETWEEN FLIGHT COMPARTMENT PRINTER AND EFB'S RIGHT ELECTRONICS UNIT	[*]	[*]
4610C608E37	AIRPLANE GENERAL INFORMATION SYSTEMS - TWO ETHERNET 10/100 BASE-T BUSES BETWEEN MAIN EQUIPMENT CENTER AND SUPERNUMERARY OVERHEAD STOWAGE COMPARTMENT - PARTIAL WIRING PROVISIONS	[*]	[*]
4610C896A31	AIRPLANE GENERAL INFORMATION SYSTEMS - ONBOARD NETWORK SYSTEM (ONS) - PARTIAL PROVISIONS	[*]	[*]
4610C991B48	AIRPLANE GENERAL INFORMATION SYSTEMS - ONBOARD NETWORK SYSTEM (ONS) - NETWORK INTERFACE PARTIAL PROVISIONS - FLIGHT COMPARTMENT INTERFACE PORT	[*]	[*]
4900-000016	MUFFLER IN APU EXHAUST SYSTEM	[*]	[*]
5250C896A20	LOCKABLE RIGID CARGO BARRIER (RCB) DOORS	[*]	[*]
7200-000412	GE PROPULSION SYSTEM	[*]	[*]
7200A519A02	GENERAL ELECTRIC ENGINES - GE90-110B1L THRUST RATING	[*]	[*]
7430C164D94	IGNITION SWITCHING - GENERAL ELECTRIC GE90 ENGINES - FLIGHT DECK - ENGINE CONTROL PANEL - DELETION OF MANUAL SELECTION OF CONTINUOUS IGNITION	[*]	[*]
7900C483C85	LUBRICATING OIL - BP2197	[*]	[*]
OPTIONS: 161	TOTALS:	[*]	[*]

Supplemental Agreement No. 4